

Productos Químicos Gonmisol S.A. T: (+34) 93 313 61 18 F: (+34) 93 314 74 27 Camí de la Verneda 47-49 Sant Adrià de Besòs 08930 Barcelona - Spain (EU)

Certificate of analysis

Certificado de análisis

L-METHIONINE USP

Batch	Manufactured	Expiration	Quantity	
CP2821100301	03/10/2021	02/10/2023	4.000 Kg	_
Identification		Infrared Absorption		Qualified
Specific rotation		+22.4° to +24.7°		+23.60°
рН		5.6 to 6.1		5.86
Loss on drying		not more than 0.3%		0.11%
Residue on ignition		not more than 0.4%		0.07%
Chloride		not more than 0.05%		< 0.05%
Sulfate		not more than 0.03%		< 0.03%
Iron		not more than 0.003%		< 0.003%
Heavy metals		not more than 0.0015%		< 0.0015%
Lead (as Pb)		≤ 3ppm		< 3ppm
Cadmium		≤ 1ppm		< 1ppm
Arsenic (as As)		≤ 1ppm		< 1ppm
Mercury		≤ 0.1ppm		< 0.1ppm
Chromatographic purity		As per USP30 (By TLC))	Qualified
Individual impurity		≤ 0.5%		< 0.5%
Total impurity		≤ 2.0%		< 2.0%
Organic volatile impurities	3	Meets the requirements		Qualified
Total Plate Count		≤ 1,000 cfu/g		< 1,000 cfu/g
Yeasts and Molds (CFU/g)	≤ 100cfu/g		< 100cfu/g
Escheria Coli		1g/Absent		Qualified



Productos Químicos Gonmisol S.A. T: (+34) 93 313 61 18 F: (+34) 93 314 74 27 Camí de la Verneda 47-49 Sant Adrià de Besòs 08930 Barcelona - Spain (EU)

Certificate of analysis

Certificado de análisis

L-METHIONINE USP						
Batch	Manufactured	Expiration	Quantity			
CP2821100301	03/10/2021	02/10/2023	4.000 Kg	•		
Salmonella	25g/Absent			Qualified		
Staphylococcus aureus	Absent			Qualified		
Assav		99.30%				

Conclusion: Material conforms to the USP30 standard.